Statistical Bulletin No. 12 November, 1980.

SYDNEY CORONERS' COURTS: STATISTICS 1975.

Bureau of Crime Statistics and Research N.S.W. Department of the Attorney-General and of Justice Box 6, G.P.O., Sydney, N.S.W., 2001

City Coroner: J.B. Goldrick, Stipendiary Magistrate
Assistant City Coroner: F.J. Mackenzie, Stipendiary Magistrate
T.M. Weir, Stipendiary Magistrate

Coroners Court
44-46 Parramatta Road, Glebe, 2037

SYDNEY CORONERS' COURTS STATISTICS 1975

J.B. Goldrick S.M.

F.J. Mackenzie (to 13.4.74)

City Coroner

Assistant City Coroner

T.M. Weir S.M. (from 14.4.75) 1973 1974 1975 1972 1589 1309 1475 1263 Inquest and Magisterial Inquiries 18 8 8 13 Fire Inquiries 1322 1493 1271 1597 Findings as to Manner and Cause of Death 1975 1972 1973 <u> 1974</u> 336 357 376 311 1. Suicide 8 1 10 4 Suicide Whilst Insane 2. 181 141 138 99 Open Finding 3. 54 30 4. Accidental Drug Death 65 70 Accidental Drowning Traffic - Inquest adjourned and followed by committal proceedings when person charged manslaughter or culpable driving. 47 Committed for trial 14 Discharged Dealt with in Children's Court 63 <u>Traffic</u> - Inquest adjourned when prima 7. facie case of manslaughter or 16 culpabale driving established. Other Traffic Accidents 8. - 1972, 1973 and 1974 figures include 366 440 359 479 Categories 6 and 7. Other Accidents 9. - 1972 and 1973 figures include 293 248 382 343 Categories 4 and 5. 10. Adjourned and Followed by Committal Proceedings when person charged 42 Murder on Non-Traffic Manslaughter 31 39 49 11. Killed by Person since Deceased or 13 10 7 11 Unknown 1 1 12. Excusable and Justifiable Homicide 2 1 79 72 51 57 13. Natural Causes 1309 1475 1263 1589 N.B. Figures relate to <u>Inquiries Conducted and Finalised</u> in respective years, not to deaths occurring. In the last quarter of 1975 65% of Inquests were finalised within three (3) months of death, 17% 8% and 5% within 4, 5 and 6 months of death, respectively, and 5% beyond six months.

	SUICIDE FINDINGS	TOTAL 336	
1.	Sex		
	Male Female	207 129 336	
2.	Age	- 	·
	To 12 years 13 -19 20s 30s 40s 50s 60s 70 plus	7 74 58 64 69 37 27	
3.	Marital Status		
	Married Married (Separated) Single Divorced Widow/Widower Not stated	135 46 99 20 34 2	
4.	Living Alone		
	Yes No Not stated	114 219 3 336	
5.	Method		
	OVERDOSE -Barbiturate 70 -Barbiturate and Bromide 2 -Other Sedative 26 -Anti-convulsant and Alcohol 1 -Anti-depressant 9	111	
	-Others $\frac{3}{111}$		

	SHOOTING HANGING Gas - Appliance " - Exhaust JUMPING LIE OR JUMP BEFORE TRAIN POISON (Soldering Fluid,	56 55 28 22 18 11
	Arsenic, Brush Cleaner, Weed Killer) DROWNING CUT THROAT STABBING BURNING ELECTROCUTION SUFFOCATION LIE IN FRONT OF CAR CRASH OVER CLIFF	10 5 5 3 3 2 1
6.	Alcohol (Blood)	336
	Nil Below .08% .08% plus Not stated	222 33 67 14 336
7.	Suicide Note (Including Tape Recording) Found and Produced	
	Yes No	124 212 336
8.	Any Treatment of a Psychiatric Nature	
	Yes No Not stated	145 170 21 336
9,	Previous Indications (Prior attempts or threats)	
10	Yes No Not stated	186 140 10 336
10.	Country of Origin Australia United Kingdom New Zealand Other Overseas Not stated	228 27 6 73 2

Other Overseas

Yugoslavia	15
Germany	8
Italy	7
Poland	6
Hungary	4
Chile	3
Holland	3
Switzerland	3
Austria	6 4 3 3 2 2 2 2 2 2 1 1 1 1 1
China	2
Czechoslovakia	2
France	2
Greece	2
India	2
Russia	2
U.S.A.	2
Canada	1.
Ecuador	1
Egypt	1
Ireland	Ţ
Jordan	<u> </u>
Lebanon	1
Malta	
Portugal	1
	73
•	

11. Occupation

Males

Professional	11
Commercial	22
Clerical	2
Skilled	29
Semi-skilled	27
Unskilled	36
Pensioner	49
Unemployed	17
Retired	· 5
Student	6
Policeman	1
Thief	1
Not stated	1
	207
	·

Females

remares	
Home Duties	58
Pensioner	33
Employed	31
Unemployed	5
University Student	1
Not stated	1
	129

-. · ·

.

	Office	14		
	Nurse	4		
	Barmaid	3		
	Factory	ĺ		
	Domestic	ī		
	Teacher	$\overline{1}$		
	Shop Assistant	1		
~	Tea Lady	1		
	Cosmetician	1	•	
	Medical Practitioner	1		
	Prostitute	1		
	Psycho-Therapist	1		
	Librarian	1		
		27		
	,	2.1		

OPEN FINDINGS

41

140

181

No Evidence Manner and Cause of Death,

or Either

	or grener
	Left "Open" as Between Suicide or Accident
	TOTAL
	OPEN-SUICIDE OR ACCIDENT
1.	Male 78 Female 62
	140
2.	To 12 years 13 -19 20s 20s 30s 40s 50s 60s 70 plus 140 140
3.	Manner of Death Drug Overdose 92 Fall from Height 14 Drowning 12 Train - struck by or fall from 7 Head injuries 5 Shooting 4 Hanging 3 Gassing 1 Electrocution 1 Burns 1
4.	Drug Overdoses Barbiturates 44 " & Alcohol 6 " & Other Sedatives 1 Other Sedatives 26 " " & Alcohol 3 Anti-depressants 2 Arsenic 1 Morphine 1 Alcohol 0 Others 7

5.	More Likely Manner of Death		
	Suicide	68	
	Accident	46	
	Unknown	24	
	Natural Cause	2	
		140	
		- 	
6.	Reason for Opening Finding		
	Lack Evidence Intention	61	
	Insufficient Evidence	24	
	Mental Illness Factor	21	
	Addicted on Habituated		
	Drugs	16	
	Alcohol Factor	16	
	Evidence Ambiguous	2	
		140	

	ACCIDENTAL (NON-INTEN	DED) DRUG DEATHS	TOTAL 54
1.	HARD DRUGS (Non-Sedative)	<u>9</u>	
	Morphine Morphine + Methadone Heroin Methadone Heroin (followed by palfium)	5 1 1 1	
2.	ALCOHOL (Alone) Blood/Alcohol % .4702	<u>9</u>	
3.	SEDATIVES. DEPRESSANTS (Alc		
	Chloral Hydrate (Dormel/Elixnocte) Barbiturates Methaqualone Methaqualone + Chloral Hydrate	9 6 1	
4.	Barbiturates Barbiturates + Valium Valium Dormel	11 4 2 2 2 3	
5.	OTHERS	<u>8</u>	
	Propranolol + Alcohol Methaqualone + Alcohol Inhalation Pressurised Can Quindine Accidental Pre-Operativ Overdose Digoxin (17 old infant) Paraquat Weed-killer in Coca-Cola bottle (13 old boy) Lead Arsenate Build-up -Sprayed on home grow vegetables	day- 1 1 year- 1	
		TOTAL 54	
6.	SEX Male Female	29 25 54	

7. AGE

To 12 years	1
13 - 19	9
20s	12
30s	8
40s	8
50s	9
60s	4
70 plus	2
Not stated	1
	54

8. ADDICTED OR HABITUATED TO DRUGS (Including Alcohol)

Yes		35
No		1.4
Not	Known	5
		54

		ACCIDENTAL DROWNINGS TO	TAL 70
1.	<u>SEX</u> Male Female	50 20 70	
2.	To 5 year 6 - 12 13 - 19 20s 30s 40s 50s 60s 70 plus	\$ 29 3 5 14 5 3 3 3 3 70	
3.	Public Sw Accidenta In Bath Boating & Yacht Sar Rock Fish Washed ir Bottom Open Sea Swimming Surf River Senile or	- Child 5 years and under - Others imming Pool - Child 5 years & under - Others - Collapsed - Drug Abuse History I Falls - Drunken - Into Harbour, Intoxicated Pentobarb & Valium - Following Injuries after Accidental Fall from Cli - Others - Child 5 years & under - After Epileptic Convulsio - Others Canoeing ak at Sea merman ato Sea, Collecting Specimens a North Head - Off Rocks - Bondi Bay - Still Water - Skin Diving Mental Wanderer	ff 1 4 4 1 1 2 2
		_	2 2 1 7 0

4. SWIMMING ABILITY

Good	6
Fair	9
Slight	10
Nil (including Young	
(Children)	28
Not Known	14
Not Applicable	3
	70

5. COUNTRY OF ORIGIN

Australia	56
United Kingdom	4
New Zealand	2
France	1
Ireland	1
Italy	1
Japan	1
Latvia	1
New Guinea	. 1
Portugal	1
Yugoslavia	1
	70

6. ALCOHOL (Blood)

Nil (Including Children)	Young	55
Below .08% .08% plus Not Known		9
		70

7. HOME POOL DROWNINGS - Children 5 Years and Under

	<u>1972</u>	<u>1973</u>	<u>1974</u>	<u>1975</u>
Total such Drownings	7	14	19	21
Total Accidental Drownings	46	57	65	70
Proportion	15%	25%	29%	30%

TRAFFIC ACCIDENT DEATHS

CATEGORIES 6, 7 & 8

TOTAL 519

The table indicated the status (Driver, Passenger, etc.) of Traffic Accident Victims together with sex, age and alcohol factor. THE FIGURES CERTAINLY UNDERSTATE THE ALCOHOL FACTOR. Many victims survive for considerable periods after injury. Where death occurs more than 24 hours after injury, blood alcohol analysis is not ordered. This accounts for the 92 (18%) "Not Known" cases. Survival even for a few hours will result in a lower reading and may result in a "Nil" reading. In addition, the figures do not include drivers involved in fatal crashes but who survive them and frequently have consumed a considerable quantity of alcohol.

As for previous years, the figures show that those most at risk on the roads are pedestrians (216 out of 519 or 42% - for 1974, 167 out of 366 or 46%). Again, the very young and the very old are the primary victims. 23% of all victims (118 out of 519) were pedestrians aged 60 years or over (for 1974, 17% - 64 out of 366).

On the other hand 34% of all victims (179 out of 519) were drivers, riders or occupants of motor vehicles who were in their teens or their twenties (for 1974, 33% - 120 out of 366).

As for 1974, the proportion of victims with a blood alcohol level of .08% or more was 21%. The number of victims with a reading of .255% or more doubled from 13 in 1974 to 26 in 1975.

·	Status	Driver	Passenger	M/Cycle Rider	Pillion	Pedal Cycle etc.	Pedestrian	Total
	Totals	115	91	71	13	13	216	519
SEX	M F	101 14	34 57	68 3	8 5	11 2	141 75	363 156
	To 12 yrs		8			11	22	41
	13-19	14	24	20	8	1	7	74
	20s	42	22	44	• 5	1	10	124
Α	30s	13	8	4			12	37
G	40s	16	8	1			14	39
£	50s	15	2	2			33	52
	60s	10	6				41	57
	70 plus	5	13				77	95
A	Not Known	18	16	11	1		46	92
LCOHOL	Nil (Incl. Children)	48	55	39	6	13	117	278
	Below .08%	8	8	10	3		9	38
	.08150	13	3	6	2		11	35
	.155250	20	6	5			19	50
	.255 plus	8	3		1		14	26

OTHER ACCIDENTS (Category 9) TOTAL 293

(i.e. Excluding Accidental Drug, Drowning and Road Traffic Deaths)

	CIRCUMSTANCES		TOTALS
1.	FALLS		<u>133</u>
	Drunken At Work " " Down Airconditioning Shaft " " Stage Platform off 6th floor Monorail From Train " the Bus " Height " Cliff 15 yrold Boy Sitting 3rd Floor Window From Ladder " Window Over Balustrade Stairs From Roof Broken Flying Fox From Horse Result of Epileptic Fit Infant (6 weeks) From Chair Child - Rail Trolley - Monkey Bar In Boat Others (Mostly Aged Persons)	32 7 1 10 5 2 2 1 3 1 1 1 1 1 1 1 5 2	
2.	BURNS Smoking in Rod or Chair	לי ד	<u>51</u>
	Smoking in Bed or Chair Electric Radiator Electric Bed-Lamp Gas Fire " Stove Shower Bath Washbasin House on Fire Exploding Kerosene Heater Clothes Lit by Cigarette Smoking in Car - Tin of Petrol Child (2 years) - Fuel Ignited by Gas Pilot Light Young Child (to 5 years) Playing Matches - Flanelette Clothes - Set Fire Interior Car	17 4 1 1 5 1 5 1 2 1	

3.	Solvent Petrol Tanker Being Filled -Static Electric Spark Struck by lightening At sea - Escaping Steam in in Engine Room Industrial SUFFOCATION Smoke from House on Fire Smoking in Bed Buried Digging Trench Infant in Cot Child - Collapsed Stroller	2 1 1 1 2 9 2 2 4 1 1	<u>21</u>	
	 Dirt from Flower Bag Infant - Climbed out of Cot Caught Between Cupboards Vomit Inhaled While Drunk 	1 1 1		
4.	GASSED		<u>19</u>	
	Stove Left On Faulty Appliance Bath Heater Car Motor Left in Garage	10 6 2 1	,	
5.	INJURIES	·	21	
	Hit or Run Over by Train Run Over by Tractor Crushed by Truck Tip Tray Falling Bricks - At Work Baby's Skull Fractured - Collapsible Cot Drunken Man (.310% Repairing Car - Run Over Mechanic Falling Under Semi- Trailer Crushed by Car Falling off Jack Brick Cutting Wheel Disinter- grated Jammed at Top of Lift Ran into Aeroplane Prop. Crushed by Drink Machine	9 2 1 1 1 1 1 1		
6,	FOOD		18	
	Choking Swallowed Bone	17 1		
7.	ELECTROCUTION		<u>11</u>	
•	Faulty Appliances Home Renovations At Work	9 1 1		

8.	FACTORY & SHIP		10
	Drawn into Machinery Struck by Beer Keg	2	
	Unloading Truck Struck by Timber	1	
	Struck by Falling Sheet Fibro	1	
	Loading Ship At sea - Whaling	1	
	Overcome Fumes in Tank Fall into Blue Metal Bin Botrol Fumos (Oil Tanker)	1 1 1 1	,
	Petrol Fumes (Oil Tanker)	٠.	_
9.	STRANGULATION		<u>1</u>
	Infant's Cardigan Caught on Cot	1	
10.	<u>OTHERS</u>		<u>8</u>
	Cerebral Damage - Hypersensi- tivity Reacation to Radio		
	Opaque Dye Injected During Cardiac Operation	1	
	Depression Heart Muscle - Combination Anaesthetic Drugs	1	•
	Infant (4 mos.) - Small Plastic Disc Impacted in Larynx	1	
	Boy Playing "Unloaded" Rifle - Shot Girl	1	
	Shock - Child Falling into Creek	1	
	Poison - Arsenic Brain Damage - Immersion in	1	
	Water	1	
	Man Shot Self in Head While	1	

: نی